

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows.

1. (Currently Amended) A method of retrieving a device-dependent attribute stored on a portal server, said method comprising:
 - establishing communication with a device;
 - identifying a type of said device;
 - identifying a characteristic of said type of device, wherein said type is a subset of said characteristic; and
 - retrieving an entry from a list of attributes, said entry selected first according to said type of device and second according to said characteristic [[if]] when said list does not include an entry that corresponds to said type of device,
wherein said entry is presented to said device for use.
2. (Original) The method of claim 1 wherein said communication is wireless.
3. (Original) The method of claim 1 wherein said type of device is identifiable by a brand name and a model number.
4. (Original) The method of claim 1 wherein said characteristic is identifiable by a type of markup language used by said type of device.
5. (Cancelled)
6. (Cancelled)
7. (Original) The method of claim 1 wherein said list of attributes further comprises entries that are independent of device type and device characteristic.
8. (Currently Amended) A method of storing device-dependent attributes in a portal server, said method comprising:
 - receiving information that identifies a type of device for which an attribute is to be stored, wherein said attribute is dependent on said type of device;

selecting said attribute according to said type of device;
entering said attribute into a list of attributes, wherein said list is organized into type-specific categories, wherein said attribute is entered into a category specific to said type of device provided said category exists; and
creating a new category for said attribute provided said category specific to said type of device does not already exist,
wherein said attribute is usable by said type of device.

9. (Original) The method of claim 8 further comprising establishing a connection with a first device, wherein said attribute is entered into a type-specific category corresponding to a type of said first device.
10. (Original) The method of claim 8 further comprising:
establishing a connection with a first device; and
receiving information from said first device identifying a second device, wherein said attribute is entered into a type-specific category corresponding to a type of said second device.
11. (Original) The method of claim 8 wherein said portal server is a wireless portal server operable to communicate wirelessly with client devices.
12. (Original) The method of claim 8 wherein said type of device is identifiable by a brand name and a model number.
13. (Original) The method of claim 8 wherein said list of attributes is sorted by device type.
14. (Original) The method of claim 8 wherein said list of attributes further comprises a category for attributes that are independent of device type.
15. (Currently Amended) A computer-usable medium having computer-readable program code embodied therein for causing a portal server system to perform a method comprising:
communicating with a device;
identifying from said communicating a type of device for which a first attribute is to be stored, wherein said first attribute is dependent on said type of device;

associating said type of device with said first attribute when said first attribute is selected and stored in a list of attributes; and
retrieving a second attribute from said list according to one selected from the group consisting of said type of device and ~~[[or]] according to~~ a characteristic of said type of device ~~[[if]]~~ when said list does not include an attribute that corresponds to said type of device, wherein said type is a subset of said characteristic,
wherein said first attribute and second attribute are usable by said device.

16. (Original) The computer-usable medium of claim 15 wherein said communicating is wireless.
17. (Original) The computer-usable medium of claim 15 wherein said type of device is identifiable by a brand name and a model number.
18. (Original) The computer-usable medium of claim 15 wherein said characteristic is identifiable by a type of markup language used by said type of device.
19. (Cancelled)
20. (Cancelled)
21. (Original) The computer-usable medium of claim 15 wherein said list of attributes further comprises attributes that are independent of device type and device characteristic.
22. (Original) The computer-usable medium of claim 15 wherein said first attribute corresponds to said device communicating with said portal server system.
23. (Original) The computer-usable medium of claim 15 wherein said first attribute corresponds to another device different from said device communicating with said portal server system, said other device identified during said communicating.